




# Ultrasound Tables

• Ultrasound Tables • Echocardiography Tables • Vascular Tables



Adjustable Headrest

Motor-controlled ergonomic Fowler back with infinite adjustments through 80°

Durable Hand Controller

Paper dispenser<sup>1</sup>

Lever to return cardiac cushion to level

Industry's largest cardiac scanning cutout

Sonographer cutout

Articulating Scanning Arm Board<sup>1</sup>

Lever to drop down cardiac cushion

Flush-mounted Side Rails fold beneath table for unencumbered access<sup>1</sup>

Retractable Stirrups with contoured heel cup for ergonomic support<sup>1</sup>

All ultrasound tables are compatible with Hoyer Lifts

All motorized tables are ETL product listed to the UL 60601-1 Medical Electrical Equipment Safety Standard.

<sup>1</sup>Standard on Sound Pro, Optional on all other tables

Foot Controller (Standard or optional on select tables, not shown)

Central Floor-Locking System (Standard on select tables, not shown)

[www.biodex.com/ultrasound](http://www.biodex.com/ultrasound)

# BIODEX **Ultrasound**Tables

Achieve quality imaging in a safe, comfortable environment

Biomedex feature-rich Ultrasound Tables meet the concerns of today's sonographer, at a cost you can afford. The scanning experience is more comfortable for the patient and ergonomically correct for the sonographer. Dependability and exceptional performance allow you to forget about the product and focus on the patient – that's your "Clinical Advantage."

▶ Visit our website to view the ultrasound tables video  
[www.biomedex.com/video/ultrasound](http://www.biomedex.com/video/ultrasound)

Extra-wide tabletop to accommodate bariatric population

Fold down leg section

**WARNING**  
500 lbs. LOAD CAPACITY  
Patients do not exceed this table's weight limit.  
Restrictions:  
Before loading patient on this table read instructions which are attached to this table.

# SoundPro™

## Suitable Procedures:

- Abdomen
- Renal
- Aorta
- Pelvis
- Endovaginal
- OB
- Hysterosonography
- Thyroid
- Testicular
- Breast
- Musculoskeletal
- Carotid
- DVT/Lower Extremity Venous
- Lower Extremity Arterial
- Venous Reflux
- Upper Extremity Venous
- Upper Extremity Arterial
- Renal Artery
- Renal Transplant
- Abdominal Doppler
- SMA
- Echocardiography
- Stress Echo
- Transesophageal Echo

Accommodates  
**BARIATRIC**  
Patients



# Combination Table

## Accommodates ultrasound and echocardiography procedures.

- Ergonomic design helps prevent musculoskeletal injuries – comfortable shoulder, arm and hand positions when scanning
- Extra wide top with 500-lb patient capacity, suitable for bariatric patients
- Cardiac drop-down cushion, allows release and return from either side of table
- Industry's largest cardiac scanning cutout – 15.75" l x 9.5" w
- Height range down to 23" accommodates wheelchair transfers and those with ambulatory difficulties
- Fowler positioning, 0-80 degrees, designed to accommodate natural body extension and sitting position without slide or shift
- Motorized height, Fowler positioning, Trendelenburg and auto-level adjustment
- Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria
- Central floor-locking system maintains table stability
- Durable hand controller activates table positions
- Allows seated or standing work positions
- Side rails mount flush to table for unencumbered patient access
- Stirrups are designed to cup at the heel for added comfort
- Articulating Scanning Arm Board, adjustable from 0 to 130 degrees
- Foot Controller is ideal for when hands are busy with other functions
- IV Pole easily attaches for quick convenience
- Paper Dispenser accommodates a roll of hygienic table paper. Includes a cutter strap.

### Optional

- Headrest drops down 15 degrees to allow for carotid and thyroid studies

*All table options and accessories are featured on pages 18-19*

The Sound Pro™ Combination Table brings together the imaging features of both the Ultra Pro and Echo Pro tables. Fully equipped for OB/GYN, general ultrasound and echocardiography procedures, the extra wide tabletop is designed with advanced ergonomics to provide



maximum comfort for both patient and sonographer. Designed to conform to natural body extension and sitting position, the motorized Fowler positioning is infinitely adjustable to 80 degrees via hand or foot control. The table is so accommodating, it reduces the

total amount of time required to achieve a quality image. Stress patients are off the treadmill and quickly onto the table in imaging position.

The cardiac drop-down cushion releases from either side of the table, providing open access to the patient's left thorax area for an unencumbered apical approach. Flush-mounted side rails enable closer access to the patient, without sonographer contortion. When not in use, rails fold beneath the table, eliminating obstruction.



Patient comfort is assured even during lengthy procedures with our Naugahyde® antimicrobial mattress cover, which also provides protection against bacteria. Standard accessories available to expand the function of your table include ergonomic stirrups that cup at the heel, an articulating scanning arm board (adjustable from 0 to 130 degrees) and a foot controller for when hands are busy with other functions. The optional Headrest is removable and adjustable, providing convenient access and patient comfort during carotid and thyroid procedures.



*Largest cutout in the industry, 15.75" l x 9.5" w*

### Sound Pro™ Combination Table

**058-710** Table, Combination, Sound Pro™, 115 VAC  
*Includes: hand and foot controllers, folding side rails, articulating scanning arm board, retractable stirrups, IV pole and paper dispenser.*

**058-715** Table, Combination, Sound Pro™, 230 VAC  
*Includes: hand and foot controllers, folding side rails, articulating scanning arm board, retractable stirrups, IV pole and paper dispenser.*

### Related:

**058-704** Chair, Ergonomic, Sonography

### Optional:

**058-738** Headrest

*Specifications and models listed on pages 20-21*

# UltraPro™

## Suitable Procedures:

- Abdomen
- Renal
- Aorta
- Pelvis
- Endovascular\*\*
- OB
- Hysterosonography
- Thyroid
- Testicular
- Breast
- Musculoskeletal
- Carotid
- DVT/Lower Extremity Venous
- Lower Extremity Arterial
- Upper Extremity Venous\*
- Renal Artery
- Renal Transplant
- Abdominal Doppler
- SMA
- Transesophageal Echo

Accommodates  
**BARIATRIC**  
Patients



\* Requires articulating scanning arm board.

\*\*Requires optional stirrups.

## Comfort focused design for quality imaging

- Ergonomic design for enhanced patient and sonographer comfort
- 500-lb patient capacity, suitable for bariatric patients
- Drop-down leg section for chair-like comfort
- Height range down to 23" accommodates wheelchair transfers and those with ambulatory difficulties
- Fowler positioning, 0-80 degrees, designed to accommodate natural body extension and sitting position without slide or shift
- Motorized height, Fowler positioning, Trendelenburg and auto-level adjustment
- Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria
- Central floor-locking system maintains table stability
- Durable hand controller activates table positions
- Allows seated or standing work positions

### Optional

- Foot Controller is ideal for when hands are busy with other functions
- Side rails mount flush to table for unencumbered patient access
- Stirrups are designed to cup at the heel for added comfort
- Articulating Scanning Arm Board, adjustable from 0 to 130 degrees
- Headrest for easier thyroid and carotid access
- IV Pole easily attaches for quick convenience
- Paper Dispenser accommodates a roll of hygienic table paper. Includes a cutter strap.

*All table options and accessories are featured on pages 18-19*

The Ultra Pro™ Ultrasound Table is the professional's choice when performing general ultrasound procedures, including OB/GYN.

The table's ergonomics are designed to reduce sonographer fatigue and minimize patient repositioning, making it easy to achieve quality images in less time.

Fowler positioning, which provides the utmost in patient comfort, an enhanced central floor-locking system offering easier access from around the table, and an antimicrobial vinyl mattress ensuring safety against infection are all standard on the Ultra Pro.



Customization is made possible with optional items including flush mounted side rails allowing complete patient access and safety, retractable stirrups with contoured heel

cups and an extra-long extension for tall patients, an articulating scanning arm board and a headrest that drops down 15 degrees to allow for carotid studies.



*Biodex Ultrasound table features - inspired by customer feedback.*

### Ultra Pro™ Combination Table

**058-720** Table, Ultrasound, Ultra Pro™, 115 VAC  
*Includes hand controller.*

**058-725** Table, Ultrasound, Ultra Pro™, 230 VAC  
*Includes hand controller.*

### Related:

**058-704** Chair, Ergonomic, Sonography

### Optional:

**058-741** Foot Controller

**058-633** Side Rails, Folding

**058-652** Stirrups, Retractable

**058-736** Arm Board, Articulating Scanning

**058-737** IV Pole

**058-611** Dispenser, Paper

**058-738** Headrest

*Specifications and models listed on pages 20-21*

# EconoUltrasound

*Accommodates*  
**BARIATRIC**  
*Patients*

## Suitable Procedures:

- Abdomen
- Renal
- Aorta
- Pelvis
- Endovaginal\*\*
- OB
- Hysterosonography
- Thyroid
- Testicular
- Breast
- Musculoskeletal
- Carotid
- DVT/Lower Extremity Venous
- Lower Extremity Arterial
- Venous Reflux
- Upper Extremity Venous
- Upper Extremity Arterial\*
- Renal Artery
- Renal Transplant
- Abdominal Doppler
- SMA
- Transesophageal Echo



\* Requires articulating scanning arm board.

\*\*Requires optional stirrups.



# Ultrasound Table

## Economically priced, rich with features.

- Ergonomic design helps prevent musculoskeletal injuries – comfortable shoulder, arm and hand positions when scanning
- 500-lb patient capacity, suitable for bariatric patients
- Drop-down leg section for chair-like comfort
- Height range down to 23" accommodates wheelchair transfers and those with ambulatory difficulties
- Fowler positioning, 0-80 degrees, redesigned to accommodate natural body extension and sitting position without slide or shift
- Motorized height and Fowler positioning
- Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria
- Durable hand controller activates table positions
- Allows seated or standing work positions

### Optional

- Side rails mount flush to table for unencumbered patient access
- Stirrups are designed to cup at the heel for added comfort
- Articulating Scanning Arm Board, adjustable from 0 to 130 degrees
- Headrest for easier thyroid and carotid access
- IV Pole easily attaches for quick convenience
- Paper Dispenser accommodates a roll of hygienic table paper. Includes a cutter strap.

*All table options and accessories are featured on pages 18-19*

The Econo Ultrasound Table is designed on the same platform as the Ultra Pro with similar features and functions. To make it a more cost-effective alternative it is offered without Trendelenburg positioning or central floor-locking system.


The same ergonomics have been incorporated into the design of the Econo Ultrasound Table, making it easy for a sonographer to achieve quality images without discomfort to the patient or sonographer.



Motorized height and Fowler positioning which accommodates natural body extension and sitting position, a height range as low as 23" to allow wheelchair transfers and a hand controller are just some of the features that make the imaging experience easy with the Econo Ultrasound Table.



The Econo Table can be customized to suit your department needs with an assortment of table options. Flush-mounted side rails enable closer patient access without sonographer contortion. An articulating scanning arm board, adjustable from 0-130 degrees and a headrest that drops down 15 degrees to allow for carotid studies are just some of the items which can be added to the table.



*The motorized Fowler back has minimal patient shift of no more than 2-3 inches.*

### Econo Ultrasound Table

**058-726** Table, Ultrasound, Econo, 115 VAC  
*Includes hand controller.*

**058-727** Table, Ultrasound, Econo, 230 VAC  
*Includes hand controller.*

### Related:

**058-704** Chair, Ergonomic, Sonography

### Optional:

**058-633** Side Rails, Folding  
**058-652** Stirrups, Retractable  
**058-736** Arm Board, Articulating Scanning  
**058-737** IV Pole  
**058-611** Dispenser, Paper  
**058-738** Headrest

*Specifications and models listed on pages 20-21*

# EchoPro™

*Accommodates*  
**BARIATRIC**  
*Patients*

## Suitable Procedures:

- Echocardiography
- Stress Echo
- Transesophageal Echo
- Abdomen
- Renal
- Aorta
- Pelvis
- Thyroid
- Testicular
- Breast
- Musculoskeletal
- Carotid
- Upper Extremity Venous\*
- Lower Extremity Arterial
- Upper Extremity Arterial\*
- Renal Artery
- Renal Transplant
- Abdominal Doppler
- SMA



\* Requires articulating scanning arm board.

# Echocardiography Table

## Unobstructed patient access ensures sonographer comfort

- Ergonomic design helps prevent musculoskeletal injuries – comfortable shoulder, arm and hand positions when scanning
- Extra wide top with 500-lb patient capacity, suitable for bariatric patients
- Cardiac drop-down cushion, allows release and return from either side of table
- Industry's largest cardiac scanning cutout – 15.75" l x 9.5" w
- Fowler positioning, 0-80 degrees, redesigned to accommodate natural body extension and sitting position without slide or shift
- Height range down to 23" accommodates wheelchair transfers and those with ambulatory difficulties
- Motorized height, Fowler positioning, Trendelenburg/Reverse Trendelenburg and auto-level adjustment
- Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria
- Central floor-locking system maintains table stability
- Durable hand controller activates table positions
- Allows seated or standing work positions

### Optional

- Foot Controller is ideal for when hands are busy with other functions
- Side rails mount flush to table for unencumbered patient access
- Articulating Scanning Arm Board, adjustable from 0 to 130 degrees
- IV Pole easily attaches for quick convenience
- Paper Dispenser accommodates a roll of hygienic table paper. Includes a cutter strap.
- Headrest drops down 15 degrees to allow for carotid and thyroid studies

*All table options and accessories are featured on pages 18-19*

The Echo Pro™ Echocardiography Table is engineered with the sonographer in mind. The ergonomic design provides a barrier-free imaging experience, resulting in less sonographer injury and better quality images.



The table's features make it easier for the sonographer to access the patient from all sides. The cardiac scanning cushion drops down and releases from either side of the table with nothing protruding.

The sonographer has open access to the left thorax area for an unobstructed apical approach. Side rails mount flush to the table and fold completely beneath the table when not in use, eliminating potential obstruction.



Patient comfort is assured, even during lengthy procedures with our Naugahyde® antimicrobial mattress cover, which also provides protection against bacteria.

Add options such as an Articulating Scanning Arm Board or Headrest for easier thyroid and carotid access to configure the Echo Pro to fit your department needs.



*The cardiac scanning cushion is designed to drop down and release from either side of the table, with nothing protruding.*

### Echo Pro™ Echocardiography Table

**058-700** Table, Echocardiography, Echo Pro™, 115 VAC  
*Includes hand controller.*

**058-705** Table, Echocardiography, Echo Pro™, 230 VAC  
*Includes hand controller.*

### Related:

**058-704** Chair, Ergonomic, Sonography

### Optional:

**058-741** Foot Controller  
**058-633** Side Rails, Folding  
**058-736** Arm Board, Articulating Scanning  
**058-737** IV Pole  
**058-611** Dispenser, Paper  
**058-738** Headrest

*Specifications and models listed on pages 20-21*

# EconoEchocardiography

*Accommodates  
BARIATRIC  
Patients*

## Suitable Procedures:

- Echocardiography
- Stress Echo
- Transesophageal Echo
- Abdomen
- Renal
- Aorta
- Pelvis
- Thyroid
- Testicular
- Breast
- Musculoskeletal
- Carotid
- Upper Extremity Venous\*
- Upper Extremity Arterial\*
- Renal Artery
- Renal Transplant
- Abdominal Doppler
- SMA



\* Requires articulating scanning arm board.

# Echocardiography Table

## A feature rich table, economically priced

- Ergonomic design helps prevent musculoskeletal injuries – comfortable shoulder, arm and hand positions when scanning
- Extra wide top with 500-lb patient capacity, suitable for bariatric patients
- Cardiac drop-down cushion, allows release and return from either side of table
- Industry's largest cardiac scanning cutout – 15.75" l x 9.5" w
- Height range down to 23" accommodates wheelchair transfers and those with ambulatory difficulties
- Fowler positioning, 0-80 degrees, redesigned to accommodate natural body extension and sitting position without slide or shift
- Motorized height and Fowler positioning
- Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria
- Durable hand controller activates table positions
- Allows seated or standing work positions

### Optional

- Redesigned side rails mount flush to table for unencumbered patient access
- Articulating Scanning Arm Board, adjustable from 0 to 130 degrees
- IV Pole easily attaches for quick convenience
- Paper Dispenser accommodates a roll of hygienic table paper. Includes a cutter strap.
- Headrest drops down 15 degrees to allow for carotid and thyroid studies

*All table options and accessories are featured on pages 18-19*

The Econo Echocardiography table is based on the same platform as the Echo Pro. It has the same ergonomic features, keeping the safety of the sonographer in mind. To make it a more cost-effective alternative, it is offered without Trendelenburg positioning or the central floor-locking system.

The barrier between sonographer and patient is eliminated with the Econo Echocardiography Table, featuring an ergonomic design, which helps prevent musculoskeletal injury.

The design includes a cardiac drop-down cushion that provides the largest scanning access of any table, with the ability to release and return from either side of the table. Open access is provided to the patient's left thorax area for an unobstructed apical approach.



The Econo Echocardiography Table has many optional items to further improve sonographer comfort and safety. Choose what best suit your department's specific needs. Redesigned side rails for closer patient access, an articulating scanning arm board, adjustable from 0 to 130 degrees and a headrest for easier thyroid and carotid access are all available.



*Adjustable from 0° - 130°, locking every 10°*

### Econo Echocardiography Table

**058-701** Table, Echocardiography, Econo, 115 VAC  
*Includes hand controller.*

**058-706** Table, Echocardiography, Econo, 230 VAC  
*Includes hand controller.*

### Related:

**058-704** Chair, Ergonomic, Sonography

### Optional:

- 058-633** Side Rails, Folding
- 058-736** Arm Board, Articulating Scanning
- 058-737** IV Pole
- 058-611** Dispenser, Paper
- 058-738** Headrest

*Specifications and models listed on pages 20-21*

# Echo/VascPro™

Accommodates  
**BARIATRIC**  
Patients

## Suitable Procedures:

- Echocardiography
- Stress Echo
- Transesophageal Echo

## Lower Extremity

- Venous Ablation
- Venous Insufficiency
- Venous Reflux
- Venous Mapping and Doppler (DVT)
- Arterial Scan/Doppler (PAD)

## Upper Extremity

- Arterial\*
- Testicular
- Musculoskeletal
- Carotid
- Carotid Duplex
- Transcranial
- Abdomen

- Aorta
- Thyroid
- Breast
- Renal
- Renal Transplant
- Renal Artery
- Venous Access Placement and Assessment\*
- SMA

\* Requires articulating scanning arm board.



Features 30° Reverse Trendelenburg

# Echocardiography and Vascular Table

## Achieve quality vascular and echocardiography images

- Ergonomic design helps prevent musculoskeletal injuries – comfortable shoulder, arm and hand positions when scanning
- Extra wide top with 500-lb patient capacity, suitable for bariatric patients
- Cardiac drop-down cushion, allows release and return from either side of table
- Industry's largest cardiac scanning cutout – 15.75" l x 9.5" w
- Reverse Trendelenburg to 30 degrees
- Height range down to 23" accommodates wheelchair transfers and those with ambulatory difficulties
- Fowler positioning, 0-80 degrees, redesigned to accommodate natural body extension and sitting position without slide or shift
- Motorized height, Fowler positioning, Trendelenburg and auto-level adjustment
- Improved foot support with comfortable access to calves without crouching
- Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria
- Central floor-locking system maintains table stability
- Durable hand controller activates table positions
- Allows seated or standing work positions

### Optional

- Foot Controller is ideal for when hands are busy with other functions
- Redesigned side rails mount flush to table for unencumbered patient access
- Articulating Scanning Arm Board, adjustable from 0 to 130 degrees
- IV Pole easily attaches for quick convenience
- Paper Dispenser accommodates a roll of hygienic table paper. Includes a cutter strap.
- Headrest drops down 15 degrees to allow for carotid and thyroid studies

All table options and accessories are featured on pages 18-19

[www.biodex.com/echovascpro](http://www.biodex.com/echovascpro)

The Echo/Vasc Pro™ Vascular Echocardiography Table is the logical choice for performing vascular scanning and echocardiography. It is designed with many features that help obtain quality images and keep the sonographer safe from injury.

The Echo/Vasc Pro features 30 degree reverse Trendelenburg positioning, ideal for expanding lower extremity veins for maximum vessel dilation. The NEW adjustable foot support provides the sonographer with comfortable access to patients of various heights, without crouching. When not in use, the foot support stores beneath the table allowing clear access



to the tabletop. Body straps stabilize the patient and ensure safety throughout the entire procedure. The design also includes a cardiac drop-down cushion, with the ability to release and return from either side of the table, providing ample scanning access for an unobstructed apical approach.



As with all Biodex ultrasound tables the Echo/Vasc Pro features Fowler positioning to accommodate natural body extension and sitting position without slide and shift, optional side rails for easy access to the patient, an optional Articulating Scanning Arm Board, adjustable from 0 to 130-degrees and soft antimicrobial vinyl upholstery.



Adjustable every 2", up to 14", the NEW foot support provides the sonographer comfortable access to patients of various heights. Ideal for lower extremity vascular studies and procedures requiring the patient remain in an upright position.

### Echo/Vasc Pro™ Table

**058-702** Table, Vascular Echocardiography, Echo/Vasc Pro™, 115 VAC  
*Includes hand controller and foot support.*

**058-707** Table, Vascular Echocardiography, Echo/Vasc Pro™, 230 VAC  
*Includes hand controller and foot support.*

### Related:

**058-704** Chair, Ergonomic, Sonography

### Optional:

- 058-741** Foot Controller
- 058-633** Side Rails, Folding
- 058-736** Arm Board, Articulating Scanning
- 058-737** IV Pole
- 058-611** Dispenser, Paper
- 058-738** Headrest

*Specifications and models listed on pages 20-21*

# BIODEX

# VascPro™

## Suitable Procedures:

### Lower Extremity

- Venous Insufficiency
- Venous Ablation
- Venous Reflux
- Venous Mapping and Doppler (DVT)
- Arterial Scan/Doppler (PAD)

### Upper Extremity

- Arterial\*
- Testicular
- Musculoskeletal
- Carotid
- Carotid Duplex
- Transcranial
- Abdomen
- Aorta
- Thyroid
- Breast
- Renal
- Renal Transplant
- Renal Artery
- Venous Access Placement and Assessment\*
- SMA

\* Requires articulating scanning arm board.

*Accommodates*  
**BARIATRIC**  
*Patients*



Features 30° Reverse Trendelenburg



# Vascular Ultrasound Table

## The ergonomic choice for lower extremity vascular studies.

- Ergonomic design helps prevent musculoskeletal injuries – comfortable shoulder, arm and hand positions when scanning
- Extra wide top with 500-lb patient capacity, suitable for bariatric patients
- Reverse Trendelenburg to 30 degrees
- Height range down to 23" accommodates wheelchair transfers and those with ambulatory difficulties
- Fowler positioning, 0-80 degrees, redesigned to accommodate natural body extension and sitting position without slide or shift
- Motorized height, Fowler positioning, Trendelenburg and auto-level adjustment
- Improved foot support with comfortable access to calves without crouching
- Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria
- Central floor-locking system maintains table stability
- Durable hand controller
- Allows seated or standing work positions

### Optional

- Foot Controller is ideal for when hands are busy with other functions
- Redesigned side rails mount flush to table for unencumbered patient access
- Articulating Scanning Arm Board, adjustable from 0 to 130 degrees
- IV Pole easily attaches for quick convenience
- Paper Dispenser accommodates a roll of hygienic table paper. Includes a cutter strap.
- Headrest drops down 15 degrees to allow for carotid and thyroid studies

All table options and accessories are featured on pages 18-19.

The Vasc Pro™ Vascular Ultrasound Table is designed with ergonomics in mind. It addresses sonographer comfort and safety and proper patient positioning, virtually eliminating repetitive-strain injuries from vascular scanning.



Sonographer comfort and safety are accomplished through features such as the new adjustable foot support that accommodates patients of various heights, and optional side rails enabling

close access to the patient without sonographer contortion.

Fowler positioning to 80 degrees, which accommodates natural body extension and sitting position without slide or shift, an optional Articulating Scanning Arm Board adjustable from 0 to 130-degrees locking every 10 degrees, the thick antimicrobial mattress and table adjustability all create a comfortable imaging experience for the patient.



Optional side rails tuck beneath the table when not in use to allow clear access to the tabletop.

### Vasc Pro™ Vascular Ultrasound Table

**058-732** Table, Vascular Ultrasound, Vasc Pro™, 115 VAC  
*Includes hand controller and foot support.*

**058-733** Table, Vascular Ultrasound, Vasc Pro™, 230 VAC  
*Includes hand controller and foot support.*

### Related:

**058-704** Chair, Ergonomic, Sonography

### Optional:

**058-741** Foot Controller

**058-633** Side Rails, Folding

**058-736** Arm Board, Articulating Scanning

**058-737** IV Pole

**058-611** Dispenser, Paper

**058-738** Headrest

*Specifications and models listed on pages 20-21*

# Table Accessories

## ERGONOMIC Sonography Chair

*Modern, ergonomic design - Sonography Chair features a foot ring for additional support and positioning.*



Modern design and manufactured with recycled materials, the Sonography Chair presents an ergonomic enhancement when scanning patients. Multiple adjustments for seat height, back height and backwards tilt tension adjustment with integrated seat slider allow for a variety of comfortable postures. A foot ring is standard for additional support and positioning. Color is graphite, matching the 700 series of Biodex Ultrasound Tables.

**058-704** Chair, Ergonomic, Sonography  
*Includes Foot Ring*

Visit OSHA's website at [www.osha.gov](http://www.osha.gov) on "Sonography: Positioning Patients and Equipment" which discusses not only the sonography chair but also exam tables. Biodex meets all of the sonographer's needs!

## Foot Controller

*Hands busy? Use Foot Control.*



The ergonomically designed Foot Controller offers the freedom to activate height, Trendelenburg motions and Fowler positioning from locations away from the table, or when hands are busy with other functions. The controller is manufactured from a metal casting for extreme durability.

**058-741** Foot Controller  
*For 058-700, 058-702, 058-720 and 058-732 Ultrasound Tables.*

## IV Pole

*Easily attaches for quick convenience*



**058-737** IV Pole

The optional IV Pole mounts in a bracket at the head end of the table. Constructed of stainless steel, this IV Pole is height adjustable.

## Articulating Scanning Arm Board

*Adjustable from 0° - 130°, locking every 10°*



For the gamut of upper extremity vascular procedures, the optional arm board is used to support the patient's arm and can be mounted to either side of the table. The arm board is adjustable from 0 to 130 degrees, locking every 10 degrees. It is required to perform upper extremity arterial and upper extremity venous procedures.

**058-736** Arm Board, Articulating Scanning

# Expand the function of your table.

## Paper Dispenser

*Includes Cutter Strap*



The optional Paper Dispenser mounts to the head end of the table. The dispenser is manufactured to hold a roll of hygienic table paper. Includes cutter strap.

**058-611** Dispenser, Paper  
*with Cutter Strap*

**056-612** Table Paper, Hygienic, 12 rolls  
*18" w x 225' l (46 cm x 69 m)*

## Headrest

*Ideal for thyroid and carotid studies*



The optional Headrest is removable and adjustable, providing convenient access and patient comfort. Headrest drops down 15° for easy access to perform thyroid and carotid studies. It's versatility allows you to extend the length of the table to accommodate taller patients.

**058-738** Headrest

## Folding Side Rails

*Safety and Convenience*



Fold-away side rails provide added safety without obstructing patient access. When stowed, the side rails fold out of the way, allowing the sonographer total patient access and comfortable scanning positioning.

**058-633** Folding Side Rails

## Retractable Stirrups

*Contoured heel cup for comfortable support*



Retractable Stirrups expand function of the table to include endovaginal, hysterosonography, testicular, OB and more. Designed with a contoured heel cup for comfortable support and an extra-long extension to accommodate tall patients. Bottom cushion of the table drops out of the way for unobstructed access.

**058-652** Stirrups, Retractable

*Options are installed by the customer.*

# Which Table is right for you?

## Sound Pro Combination Table



### SPECIFICATIONS:

#### Dimensions:

Overall: 71" l x 30" w (180.3 x 76.2 cm); 35" w (88.9 cm) with side rails  
 Cardiac Scanning Cutout: 15.75" l x 9.5" w (40 x 24.1 cm)  
 Drop-down cushion releases from either side of the table.  
 Sonographer Cutout: 14.75" l x 8" w (37.4 x 20.3 cm) Adjustable sonographer cushion drops down or folds up for maximum access to the patient.  
 Drop-Down Leg Section: 12.6" l (32 cm)

#### Motions:

Height Adjustable: 23" to 39" (58.4 to 99 cm)  
 Trendelenburg: 0° to ±15°  
 Fowler Back: 0° to 80° infinitely adjustable

#### Controls:

Hand Control: Activates height, Trendelenburg motions, Fowler positioning and auto level motions  
 Foot Control: Activates height, Trendelenburg motions and Fowler positioning  
 Wheels: 5" (12.7 cm) Individual locking swivel casters; central floor-locking system

**Tabletop:** Three primary sections: torso section features sonographer and patient cutouts with Fowler positioning; center section remains fixed and leg section drops down to 40° and 80° for stirrup access

Drop-Down Cardiac Scanning Cushion: Release from either side of the table  
 Adjustable Sonographer Cushion: drops down or folds up for maximum access to the patient

**Mattress:** Torso section 2" (5 cm) thick, center and leg sections 3" (8 cm) thick; Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria  
**Upholstery Color:** Graphite  
**Patient Restraints:** One body strap  
**Finish:** Powder coat  
**Patient Capacity:** 500 lb (227 kg); weight tested to four times the patient load rating.  
**Weight:** 350 lb (159 kg)  
**Power:** 115 VAC or 230 VAC  
**Warranty:** Two years parts and labor  
**Certifications:** ETL and cETL Listed to UL60601-1 and CAN/CSA C22.2 No. 601.1.M90 and EN 60601-1 standards.



**058-710** Table, Combination, Sound Pro, 115 VAC  
*Includes: band and foot controllers, folding side rails, vascular scanning arm board, retractable stirrups, IV pole and paper dispenser.*

**058-715** Table, Combination, Sound Pro, 230 VAC  
*Includes: band and foot controllers, folding side rails, vascular scanning arm board, retractable stirrups, IV pole and paper dispenser.*

## Ultra Pro Ultrasound Table



### SPECIFICATIONS:

#### Dimensions:

Overall: 70" l x 30" w (177.8 x 76.2 cm); 35" w (88.9 cm) with optional side rails  
 Drop-Down Leg Section: 12.6" l (32 cm)

#### Motions:

Height Adjustable: 23" to 39" (58.4 to 99 cm)  
 Trendelenburg: 0° to ±15°  
 Fowler Back: 0° to 80° infinitely adjustable

#### Controls:

Hand Control: Activates height, Trendelenburg motions, Fowler positioning and auto level motions  
 Foot Control (optional): Activates height, Trendelenburg motions, and Fowler positioning  
 Wheels: 5" (12.7 cm) Individual locking swivel casters; central floor-locking system

**Tabletop:** Three primary sections: torso section with Fowler positioning, center section remains fixed and leg section drops down to 40° and 80° for stirrup access

**Mattress:** Torso section 2" (5 cm) thick, center and leg sections 3" (8 cm) thick; Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria  
**Upholstery Color:** Graphite  
**Patient Restraints:** Two body straps  
**Finish:** Powder coat  
**Patient Capacity:** 500 lb (227 kg); weight tested to four times the patient load rating.  
**Weight:** 335 lb (152 kg)  
**Power:** 115 VAC or 230 VAC  
**Warranty:** Two years parts and labor  
**Certifications:** ETL and cETL Listed to UL60601-1 and CAN/CSA C22.2 No. 601.1.M90 and EN 60601-1 standards.



**058-720** Table, Ultrasound, Ultra Pro, 115 VAC  
*Includes Hand Controller.*

**058-725** Table, Ultrasound, Ultra Pro, 230 VAC  
*Includes Hand Controller.*

## Econo Ultrasound Table



### SPECIFICATIONS:

#### Dimensions:

Overall: 70" l x 30" w (185.4 x 76.2 cm); 35" w (88.9 cm) with optional side rails  
 Drop-Down Leg Section: 12.6" l (32 cm)

#### Motions:

Height Adjustable: 23" to 39" (58.4 to 99 cm)  
 Fowler Back: 0° to 80° infinitely adjustable

#### Controls:

Hand Control: Activates height and Fowler back  
 Wheels: 5" (12.7 cm) Individual locking swivel casters

**Tabletop:** Three primary sections: torso section with Fowler positioning, center section remains fixed and leg section drops down to 40° and 80° for stirrup access

**Mattress:** Torso section 2" (5 cm) thick, center and leg sections 3" (8 cm) thick; Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria  
**Upholstery Color:** Graphite  
**Patient Restraints:** Two body straps  
**Finish:** Powder coat  
**Patient Capacity:** 500 lb (227 kg); weight tested to four times the patient load rating.  
**Weight:** 335 lb (152 kg)  
**Power:** 115 VAC or 230 VAC  
**Warranty:** Two years parts and labor  
**Certifications:** ETL and cETL Listed to UL60601-1 and CAN/CSA C22.2 No. 601.1.M90 and EN 60601-1 standards.



**058-726** Table, Ultrasound, Econo, 115 VAC  
*Includes hand controller.*

**058-727** Table, Ultrasound, Econo, 230 VAC  
*Includes hand controller.*

All ultrasound tables are compatible with Hoyer Lifts

See pages 18-19 for Table Accessories, available separately.

## Echo Pro Echocardiography Table



### SPECIFICATIONS:

#### Dimensions:

Overall: 73" l x 30" w (185.4 x 76.2 cm); 35" w (88.9 cm) with optional side rails  
 Cardiac Scanning Cutout: 15.75" l x 9.5" w (40 x 24.1 cm)  
 Drop-down cushion releases from either side of the table.  
 Sonographer Cutout: 14.75" l x 8" w (37.4 x 20.3 cm) Adjustable sonographer cushion drops down or folds up for maximum access to the patient.

#### Motions:

Height Adjustable: 23" to 39" (58.4 to 99 cm)  
 Trendelenburg: 0° to ±15°  
 Fowler Back: 0° to 80° infinitely adjustable

#### Controls:

Hand Control: Activates height, Trendelenburg motions, Fowler positioning and auto level motions  
 Foot Control (optional): Activates height, Trendelenburg motions, and Fowler positioning

Wheels: 5" (12.7 cm) Individual locking swivel casters; central floor-locking system

**Tabletop:** Two primary sections: torso section features sonographer and patient cutouts with Fowler positioning; lower body section remains fixed

**Mattress:** Torso section 2" (5 cm) thick, lower body section 3" (8 cm) thick; Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria  
**Upholstery Color:** Graphite  
**Patient Restraints:** Two body straps  
**Finish:** Powder coat  
**Patient Capacity:** 500 lb (227 kg); weight tested to four times the patient load rating.  
**Weight:** 335 lb (152 kg)  
**Power:** 115 VAC or 230 VAC  
**Warranty:** Two years parts and labor  
**Certifications:** ETL and cETL Listed to UL60601-1 and CAN/CSA C22.2 No. 601.1.M90 and EN60601-1 standards.



**058-700** Echocardiography, Echo Pro™, 115 VAC  
 Includes hand controller.

**058-705** Table, Echocardiography, Echo Pro™, 230 VAC  
 Includes hand controller.

## Econo Echocardiography Table



### SPECIFICATIONS:

#### Dimensions:

Overall: 73" l x 30" w (185.4 x 76.2 cm); 35" w (88.9 cm) with optional side rails  
 Cardiac Scanning Cutout: 15.75" l x 9.5" w (40 x 24.1 cm)  
 Drop-down cushion releases from either side of the table.  
 Sonographer Cutout: 14.75" l x 8" w (37.4 x 20.3 cm) Adjustable sonographer cushion drops down or folds up for maximum access to the patient.

#### Motions:

Height Adjustable: 23" to 39" (58.4 to 99 cm)  
 Fowler Back: 0° to 80° infinitely adjustable

#### Controls:

Hand Control: Activates height and Fowler back  
 Wheels: 5" (12.7 cm) Individual locking swivel casters

**Tabletop:** Two primary sections: torso section features sonographer and patient cutouts with Fowler positioning; lower body section remains fixed

**Mattress:** Torso section 2" (5 cm) thick, lower body section 3" (8 cm) thick; Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria  
**Upholstery Color:** Graphite  
**Patient Restraints:** Two body straps  
**Finish:** Powder coat  
**Patient Capacity:** 500 lb (227 kg); weight tested to four times the patient load rating.  
**Weight:** 335 lb (152 kg)  
**Power:** 115 VAC or 230 VAC  
**Warranty:** Two years parts and labor  
**Certifications:** ETL and cETL Listed to UL60601-1 and CAN/CSA C22.2 No. 601.1.M90 and EN60601-1 standards.



**058-701** Table, Echocardiography, Econo, 115 VAC  
 Includes hand controller.

**058-706** Table, Echocardiography, Econo, 230 VAC  
 Includes hand controller.

## Echo/Vasc Pro Vascular Echocardiography Table



### SPECIFICATIONS:

#### Dimensions:

Overall: 73" l x 30" w (185.4 x 76.2 cm); 35" w (88.9 cm) with optional side rails  
 Cardiac Scanning Cutout: 15.75" l x 9.5" w (40 x 24.1 cm)  
 Drop-down cushion releases from either side of the table.  
 Sonographer Cutout: 14.75" l x 8" w (37.4 x 20.3 cm) Adjustable sonographer cushion drops down or folds up for maximum access to the patient.

#### Motions:

Height Adjustable: 23" to 39" (58.4 to 99 cm)  
 Trendelenburg: 0° to 15°  
 Reverse Trendelenburg: 0° to 30°  
 Fowler Back: 0° to 80° infinitely adjustable

#### Controls:

Hand Control: Activates height, Trendelenburg motions, Fowler positioning and auto level motions  
 Foot Control (optional): Activates height, Trendelenburg motions, and Fowler positioning

Wheels: 5" (12.7 cm) Individual locking swivel casters; central floor-locking system

**Tabletop:** Two primary sections: torso section features sonographer and patient cutouts with Fowler positioning; lower body section remains fixed  
**Foot Support:** Adjustable every 2", up to 14". Stores beneath the table when not in use.

**Mattress:** Torso section 2" (5 cm) thick, lower body section 3" (8 cm) thick; Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria  
**Upholstery Color:** Graphite  
**Patient Restraints:** Two body straps  
**Finish:** Powder coat  
**Patient Capacity:** 500 lb (227 kg); weight tested to four times the patient load rating.  
**Weight:** 335 lb (152 kg)  
**Power:** 115 VAC or 230 VAC  
**Warranty:** Two years parts and labor  
**Certifications:** ETL and cETL Listed to UL60601-1 and CAN/CSA C22.2 No. 601.1.M90 and EN60601-1 standards.



**058-702** Table, Vascular Echocardiography, Echo/Vasc Pro, 115 VAC  
 Includes hand controller and foot support.

**058-707** Table, Vascular Echocardiography, Echo/Vasc Pro, 230 VAC  
 Includes hand controller and foot support.

## Vasc Pro Vascular Ultrasound Table



### SPECIFICATIONS:

#### Dimensions:

Overall: 73" l x 30" w (185.4 x 76.2 cm); 35" w (88.9 cm) with optional side rails

#### Motions:

Height Adjustable: 23" to 39" (58.4 to 99 cm)  
 Trendelenburg: 0° to 15°  
 Reverse Trendelenburg: 0° to 30°  
 Fowler Back: 0° to 80° infinitely adjustable

#### Controls:

Hand Control: Activates height, Trendelenburg motions, Fowler positioning and auto level motions  
 Foot Control (optional): Activates height, Trendelenburg motions, and Fowler positioning

Wheels: 5" (12.7 cm) Individual locking swivel casters; central floor-locking system

**Tabletop:** Two primary sections: torso section with Fowler positioning; lower body section remains fixed  
**Foot Support:** Adjustable every 2", up to 14". Stores beneath the table when not in use.

**Mattress:** Torso section 2" (5 cm) thick, lower body section 3" (8 cm) thick; Naugahyde®, antimicrobial mattress cover with Advanced BeautyGard® provides protection against bacteria  
**Upholstery Color:** Graphite  
**Patient Restraints:** Three body straps  
**Finish:** Powder coat  
**Patient Capacity:** 500 lb (227 kg); weight tested to four times the patient load rating.  
**Weight:** 335 lb (152 kg)  
**Power:** 115 VAC or 230 VAC  
**Warranty:** Two years parts and labor  
**Certifications:** ETL and cETL Listed to UL60601-1 and CAN/CSA C22.2 No. 601.1.M90 and EN60601-1 standards.



**058-732** Table, Vascular Ultrasound, Vasc Pro™, 115 VAC  
 Includes hand controller and foot support.

**058-733** Table, Vascular Ultrasound, Vasc Pro™, 230 VAC  
 Includes hand controller and foot support.

## ■ PEER PERSPECTIVE

*“We find that this table is easy to use and we are pleased with its performance.”*

### Sound Pro Table



“Some of the numerous features that we find exceptional on the Sound Pro, are the pivoting side rails, the retractable stirrups, and the cardiac cutouts. The construction of the side rails allows the sonographer the ability to be closer to the patient without any obstruction of the side rails hitting our knees.

Furthermore, the cardiac cutout allows the sonographer the ease to scan apical views of the heart. Lastly, we like the fact that the stirrups are retractable and hidden in the table when we do not require them. We find that this table is easy to use and we are pleased with its performance. We look forward to the next table we purchase.”

*- Heather Hibner, RT, RDMS, RDCS,  
Lead Sonographer, Madera Community Hospital, Madera, CA*

*“Because the table is so accommodating, it reduces the time needed to get a quality image.”*

### Echo Pro Echocardiography Table

“Our sonographers really like the Biodex Echo Pro Table. They love the electronic height adjustment. It allows the table to be lowered to a level where even patients with limited mobility can get on it easily. Once the patient is on the table, you can then raise it - smoothly - to a level that is comfortable for the sonographers to do their job. Because the table is so easy to get on and raise, it helps us when doing stress echoes in that we can get the patient off the treadmill, on the table and into position for imaging in a very short time.

We also like that the Biodex Echo Pro Table has Trendelenburg and Reverse Trendelenburg capability, plus an infinitely adjustable Fowler back. It is comfortable for our patients, looks great in our facility and, thanks to the drop-away sonographer cutout, allows our technicians to get up comfortably close to the patient without bending way over. Because the table is so accommodating, it reduces the time needed to get a quality image.

We highly recommend that other facilities consider the Biodex Echo Pro Table. It has all the features you'll need and it is backed by the Biodex reputation for quality and craftsmanship.”

*- Bonnie Albrecht, PT, Surburban Cardiology, Williamsville, NY*

*“Overall, I'd call the Biodex Ultra Pro Ultrasound (Table) the Cadillac of imaging tables.”*

### Ultra Pro Ultrasound Table



“There are many aspects I like about the Biodex Ultra Pro Ultrasound Table. For starters, the size of this ergonomically designed table is good for patient comfort. It's long enough and wide enough that patients don't end up with their arms or feet hanging off the table.

“The remote control features are another plus. They eliminate the need to physically move, adjust or lift the patient's head or torso; up and down, lateral tilt, Trendelenburg and reverse Trendelenburg - with a 500-pound weight limit, this table can handle and position just about any patient we encounter.

“I also like the arm extension board. During vascular exams, it allows for optimal scanning positioning without the patient's hand draped across your lap. I also find the reverse Trendelenburg positioning for venous exams an asset when a patient is unable to stand.

“Lastly, the locking wheels and floor lock mechanism provide double protection to ensure patient safety.

“Overall, I'd call the Biodex Ultra Pro Ultrasound the Cadillac of imaging tables. It's great for the patient while also lessening the daily wear and tear on my own body.”

*- Lisa LeBlanc, BS, RDMS, RVT, RT(R), (CT),  
Alliance Medical Group, Watertown, CT*



*"The Clinical Advantage"™*

## Biodex Ultrasound Tables Have It All...

- ERGONOMIC DESIGN • EASY TO USE • FEATURE RICH



## Achieve Quality Images...Using a Quality Table

- ULTRASOUND • ECHOCARDIOGRAPHY • VASCULAR



*Accommodates patients of various heights*



*Closer patient access*



*Industry's largest cardiac scanning cutout*



*Infinitely adjustable to 80 degrees*



*Maintains table stability*



*Table adjusts down to 23"*

# BIODEX

# **NEW** Adjustable foot support on **Vascular Tables** provides improved ergonomics

**NEW** adjustable foot support provides the sonographer comfortable access to patients of various heights. Ideal for lower extremity vascular studies, and any procedures requiring the patient to remain in an upright position.

When not in use, the foot support conveniently tucks beneath the table allowing clear access to the tabletop. If necessary, it can be removed from the table completely.



*Ideal for procedures requiring patient to remain in upright position*



*Foot support tucks beneath the table, providing clear access to the tabletop*



*Accommodates patients of various heights*



*Adjustable every 2", up to 14"*

## BIODEX

Biodex Medical Systems, Inc.  
20 Ramsey Road, Shirley, New York, 11967-4704  
Tel: 800-224-6339 (Int'l 631-924-9000),  
Fax: 631-924-9241 Email: info@biodex.com, www.biodex.com

## BIODEX

Biodex Medical Systems, Inc.  
20 Ramsey Road, Shirley, New York, 11967-4704

CHANGE SERVICE REQUESTED

**SUBSCRIBE to  
BIODEX**

- NEWSLETTERS
- BLOGS
- EMAIL

[www.biodex.com/register](http://www.biodex.com/register)



**Follow Biodex-Medical Imaging**

*Let's get a discussion going...*



FN: 16-234 8/16